




Medical



Marine

Agriculture
Machine



Industry



Transportation



Field Service



GETRONIC

Elektronische Bauelemente und Systeme

Getronic Vertrieb elektronischer Bauelemente GmbH
Stawedder 29
25462 Rellingen / Germany

Tel. +49 4101 / 80 40-100
Fax +49 4101 / 80 40-150

service@getronic.de
www.getronic.de

Display
Manufacturer

www.onation.com.tw



ONation Corporation



Who Are We ?

Founded in 2006, ONation is a professional LCM manufacturer in Taiwan with a focus in small to medium size LCD. Targeting the industrial application market, ONation is constantly on the quest for making innovative and quality displays.

With the first step taken in the Japanese niche customization display market, ONation has developed skillful and resourceful project management team to handle a variety of projects. The team provides expertise to reduce the span of design time and ensures product compliance according to customers' requirements.

With the ever changing technology, ONation has continuously progressed to adapt the trend. Starting from TN, STN, CSTN, to TFT display, ONation has evolved with the display technologies as well as provided customized solutions.

In addition to the complete display lineup, integrated control boards and touch panel solutions are also provided and can be customized based on the requirements to provide a complete solution. Moreover, optical characteristics enhancement service is also available.



Optical

Action

We are
ONation

Nation

会社案内

ONation は、LCD モジュールの設計、製造、QC 部門に経験豊富な Member と確固たる技術に基づき、Customer Service を中心に会社を経営しております。

現在は、高輝度タイプ、Touch Panel を付加するなど、光学関連の Solution を含め、LCD モジュールを提供しております。

ONation は 2006 年で創立し、ターゲット市場は日本に定め、多数のスタンダード品が Line Up されました。更に、顧客の多岐にわたる要望に応え、Customer に積極的に対応し、生産面でも少量多品種に提供しております。

当社は Customer Service を重視し、「品質面」、「Cost 面」、「Delivery 面」に全般的に満足していただけるように、奮励努力しており、「技術、革新、品質、サービス、責任」という五項目は経営原点として、未来を見据えて、日々邁進しております。

経営方針

当社の経営方針は Customer Service 中心で行動し、即ち顧客殿の要望に沿え、満足していただける製品を提供致します。現在、得意な製品は産業機器向けの製品であります。我々 Member は技術面、管理面で豊かな経験を有し、顧客殿の要求仕様に対しても、最適化な設計が実行できます。更に、コスト面も努力し、必ず顧客殿にご満足をいただける事を確信しております。

ONation の特徴

- 我々は日本向けに、顧客殿との取引の中で、設計と品質とコストに於いてご満足を頂けるように努力しております。
- 日本式の管理方式と現地顧客に対し、柔軟に対応できます。
- 工業用、産業用の製品に特化しています。
- 弊社は少量多品種に対応致します。
- 弊社は材料投入から LCM まで生産できます。更に OEM も受付けております。
- BACKLIGHT 高輝度、Touch Panel、信号変換基板など多種多様な付加価値製品に対応できます。

Marine

- Dimming
- Sunlight Readable (Special solutions available for sun glasses needs)
- High Brightness
- Touch panel with optical bonding
- Wide Operational Temperature Ranges
- Functional coating (Anti-Reflection, anti-salt spray, High UV-cut rate...)



- ☆ Fish Finder
- ☆ Navigation



Size	ONation Model No.	Product Line	Panel	Resolution	View Angle	Outline Dimension(mm)	Active Area(mm)	Interface	Brightness	Top (°C)	Touch Function	Touch I/F
5.0"	OT050EGUDDN-01	Industry	TN	800 x 480	70/70/50/70	120.7 x 76.3 x 3.25	108.0 x 64.8	RGB	380	-20~+70	n/a	n/a
5.7"	OT057ZVUDDN-01	Industry	TN	640 x 480	70/70/60/40	127 x 98.43 x 7.0	115.2 x 86.4	RGB	900	-20~+70	n/a	n/a
7.0"	OT070QGDDLV00	H-Bright	TN	800 x 480	70/70/60/60	165.0 x 106.4 x 8.7	152.4 x 91.44	LVDS	1,000	-20~+70	n/a	n/a
8.0"	OT080HGWDLV-00	Industry	TN	800 x 600	70/70/60/60	190.0 x 120.0 x 11.0	173.4 x 104.04	LVDS	600	-30~+85	n/a	n/a
8.4"	OT084AXWDLVH0	H-Bright	IPS	1024 x 768	88/88/88/88	199.5 x 149.0 x 9.7	170.4 x 127.8	LVDS	1,000	-30~+80	n/a	n/a
10.1"	OT101ZBWDLVH0	H-Bright	IPS	1280 x 800	80/80/80/80	245.0 x 169.5 x 16.74	216.96 x 135.60	LVDS	1,200	-30~+80	n/a	n/a
12.1"	OT121BSWDLVH0	H-Bright	IPS	800 x 600	89/89/89/89	260.5 x 204.0 x 8.4	246.0 x 184.5	LVDS	1,000	-30~+80	n/a	n/a
12.1"	OT121CBWDLH2	H-Bright	IPS	1280 x 800	88/88/88/88	248.0 x 184.0 x 11.0	261.12 x 163.2	LVDS	1,200	-20~+80	n/a	n/a
15.0"	OT150EXWDLH0	H-Bright	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	1,000	-30~+80	n/a	n/a
9.0"	QT09019114-00	Industry	TN	800 x 480	70/70/50/70	210.7 x 126.5 x 5.2	198.0 x 111.696	RGB	600	-20~+70	n/a	n/a
8.4"	OT084AXWDLTH0	Touch LCD	IPS	1024 x 768	88/88/88/88	199.5 x 149.0 x 9.7	170.4 x 127.8	LVDS	900	-20~+70	PCAP	n/a
10.1"	OT101EBWDLTH0	Touch LCD	IPS	1280 x 800	80/80/80/80	245.0 x 169.5 x 16.74	216.96 x 135.60	LVDS	1,200	-30~+80	PCAP	I2C
10.4"	OT104AXWDLTH0	Touch LCD	IPS	1024 x 768	88/88/88/88	227.0 x 175.8 x 9.85	210.432 x 157.824	LVDS	900	-20~+70	PCAP	USB & I2C
12.1"	OT121BSWDLTH0	Touch LCD	IPS	800 x 600	89/89/89/89	260.5 x 204.0 x 8.4	246.0 x 184.5	LVDS	900	-30~+80	PCAP	USB & I2C
12.1"	OT121CBWDLTH0	Touch LCD	IPS	1280 x 800	88/88/88/88	248.0 x 184.0 x 11.0	261.12 x 163.2	LVDS	1,000	-20~+70	PCAP	USB & I2C
15.0"	OT150EXWDLTH0	Touch LCD	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	900	-20~+70	PCAP	USB & I2C
21.5"	OT215DFWDLT00	Touch LCD	IPS	1920 x 1200	89/89/89/89	497.6 x 292.2 x 10.5	476.064 x 267.786	LVDS	400	-20~+60	PCAP	USB




Medical

- High Contrast
- High resolution
- Anti-glare solution
- Antimicrobial type Cover
- Functional coating (Anti-Reflection, Anti-fingerprint...)



- ☆ Ventilator
- ☆ Blood analyzer
- ☆ Physiological monitor
- ☆ Medical Panel Computers

Size	ONation Model No.	Product Line	Panel	Resolution	View Angle	Outline Dimension(mm)	Active Area(mm)	Interface	Brightness	Top (°C)	Touch Function	Touch I/F
5.7"	OT057ZVUDDN-01	Industry	TN	640 x 480	70/70/60/40	127 x 98.43 x 7.0	115.2 x 86.4	RGB	900	-20~+70	n/a	n/a
7.0"	OT070QGDDL00	H-Bright	TN	800 x 480	70/70/60/60	165.0 x 106.4 x 8.7	152.4 x 91.44	LVDS	1,000	-20~+70	n/a	n/a
7.0"	OT070VBWDLV-00	Wide View	IPS	1280 x 800	88/88/88/88	161.0 x 107.0 x 6.15	149.76 x 93.6	LVDS	400	-20~+70	n/a	n/a
10.1"	OT101CBWDLV09	Industry	IPS	1280 x 800	80/80/80/80	229.46 x 149.1 x 4.8	216.96 x 135.6	LVDS	600	-20~+70	n/a	n/a
10.1"	OT101DBWDLVH1	H-Bright	IPS	1280 x 800	80/80/80/80	229.46 x 149.1 x 4.8	216.96 x 135.6	LVDS	1,000	-30~+70	n/a	n/a
10.4"	OT104AXWDLV00	Wide View	IPS	1024 x 768	88/88/88/88	227.0 x 175.8 x 9.85	210.432 x 157.824	LVDS	600	-20~+70	n/a	n/a
10.4"	OT104KXWDLV00	Wide View	IPS	1024 x 768	85/85/85/85	236.0 x 174.3 x 10.6	211.2 x 158.4	LVDS	600	-20~+70	n/a	n/a
12.1"	OT121ZBWDLV01	Wide View	IPS	1280 x 800	85/85/85/85	278.0 x 184.0 x 9.9	261.12 x 163.2	LVDS	450	-20~+70	n/a	n/a
15.0"	OT150ZXWDLV00	Wide View	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	450	-30~+80	n/a	n/a
21.5"	OT215ZFWDLN00	Wide View	IPS	1920 x 1080	89/89/89/89	495.6 x 292.2 x 10.7	476.64 x 268.11	LVDS	350	0~+50	n/a	n/a
21.5"	OT215ZFWDLN01	Wide View	IPS	1920 x 1080	89/89/89/89	495.6 x 292.2 x 11.5	476.064 x 267.786	LVDS	250	0~+50	n/a	n/a
10.1"	OT101DBWDLTH2	Touch LCD	IPS	1280 x 800	85/85/85/85	229.46 x 149.1 x 4.8	216.96 x 135.6	LVDS	900	-20~+70	PCAP	I2C
10.4"	OT104AXWDLTH0	Touch LCD	IPS	1024 x 768	88/88/88/88	227.0 x 175.8 x 9.85	210.432 x 157.824	LVDS	900	-20~+70	PCAP	USB & I2C
12.1"	OT121BSWDLT00	Touch LCD	IPS	800 x 600	89/89/89/89	260.5 x 204.0 x 8.4	246.0 x 184.5	LVDS	400	-30~+80	PCAP	USB & I2C
12.1"	OT121CBWDLTH0	Touch LCD	IPS	1280 x 800	88/88/88/88	248.0 x 184.0 x 11.0	261.12 x 163.2	LVDS	1,000	-20~+70	PCAP	USB & I2C
15.0"	OT150EXWDLTH0	Touch LCD	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	900	-20~+70	PCAP	USB & I2C
15.6"	OT156ABWDLT-00	Touch LCD	IPS	1920 x 1080	85/85/85/85	363.8 x 215.98 x 9.6	344.16 x 193.59	LVDS	380	-20~+70	PCAP	USB
21.5"	OT215AFWDLT00	Touch LCD	IPS	1920 x 1200	89/89/89/89	495.6 x 292.2 x 10.7	476.64 x 268.11	LVDS	350	-20~+70	PCAP	USB
21.5"	OT215DFWDLT00	Touch LCD	IPS	1920 x 1200	89/89/89/89	497.6 x 292.2 x 10.5	476.064 x 267.786	LVDS	400	-20~+60	PCAP	USB



Outdoor&HMI

- Industrial grade panel
- Sunlight Readable (Special solutions available for sun glasses needs)
- High Brightness, Dimming
- Touch panel with optical bonding
- Functional coating (High UV-cut rate, Anti-Reflection...)

- ☆ Charging pile
- ☆ Package Locker
- ☆ Ticket Machine
- ☆ Smart safe terminal
- ☆ HMI



Size	ONation Model No.	Product Line	Panel	Resolution	View Angle	Outline Dimension(mm)	Active Area(mm)	Interface	Brightness	Top (°C)	Touch Function	Touch I/F
5.7"	OT057ZVUDDN-01	Industry	TN	640 x 480	70/70/60/40	127 x 98.43 x 7.0	115.2 x 86.4	RGB	900	-20~+70	n/a	n/a
7.0"	OT070QGDDL00	H-Bright	TN	800 x 480	70/70/60/60	165.0 x 106.4 x 8.7	152.4 x 91.44	LVDS	1,000	-20~+70	n/a	n/a
8.4"	OT084AXWDLVH0	H-Bright	IPS	1024 x 768	88/88/88/88	199.5 x 149.0 x 9.7	170.4 x 127.8	LVDS	1,000	-30~+80	n/a	n/a
10.1"	OT101DBWDLVH0	H-Bright	IPS	1280 x 800	85/85/85/85	229.46 x 149.1 x 4.8	216.96 x 135.6	LVDS	1,000	-20~+70	n/a	n/a
10.1"	OT101ZBWDLVH0	H-Bright	IPS	1280 x 800	80/80/80/80	245.0 x 169.5 x 16.74	216.96 x 135.60	LVDS	1,200	-30~+80	n/a	n/a
10.4"	OT104AXWDLVH0	Wide View	IPS	1024 x 768	88/88/88/88	227.0 x 175.8 x 9.85	210.432 x 157.824	LVDS	1,000	-20~+70	n/a	n/a
10.4"	OT104KXWDLV00	Wide View	IPS	1024 x 768	85/85/85/85	236.0 x 174.3 x 10.6	211.2 x 158.4	LVDS	600	-20~+70	n/a	n/a
12.1"	OT121CBWDLH2	H-Bright	IPS	1280 x 800	88/88/88/88	248.0 x 184.0 x 11.0	261.12 x 163.2	LVDS	1,200	-20~+80	n/a	n/a
15.0"	OT150EXWDLH0	H-Bright	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	1,000	-30~+80	n/a	n/a
10.1"	OT101DBWDLTH2	Touch LCD	IPS	1280 x 800	85/85/85/85	229.46 x 149.1 x 4.8	216.96 x 135.6	LVDS	900	-20~+70	PCAP	I2C
10.4"	OT104KXWDLTH0	Touch LCD	IPS	1024 x 768	85/85/85/85	236.0 x 174.3 x 10.6	211.2 x 158.4	LVDS	1,000	-20~+70	PCAP	USB & I2C
12.1"	OT121BSWDLT00	Touch LCD	IPS	800 x 600	89/89/89/89	260.5 x 204.0 x 8.4	246.0 x 184.5	LVDS	400	-30~+80	PCAP	USB & I2C
12.1"	OT121CBWDLTH0	Touch LCD	IPS	1280 x 800	88/88/88/88	248.0 x 184.0 x 11.0	261.12 x 163.2	LVDS	1,000	-20~+70	PCAP	USB & I2C
15.0"	OT150EXWDLTH0	Touch LCD	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	900	-20~+70	PCAP	USB & I2C
15.6"	OT156ABWDLT-00	Touch LCD	IPS	1920 x 1080	85/85/85/85	363.8 x 215.98 x 9.6	344.16 x 193.59	LVDS	380	-20~+70	PCAP	USB
21.5"	OT215AFWDLT00	Touch LCD	IPS	1920 x 1200	89/89/89/89	495.6 x 292.2 x 10.7	476.64 x 268.11	LVDS	350	-20~+70	PCAP	USB
21.5"	OT215DFWDLT00	Touch LCD	IPS	1920 x 1200	89/89/89/89	497.6 x 292.2 x 10.5	476.064 x 267.786	LVDS	400	-20~+60	PCAP	USB



Focused Product List

Size	ONation Model No.	Product Line	Panel	Resolution	View Angle	Outline Dimension(mm)	Active Area(mm)	Interface	Brightness	Top (°C)	Touch Function	Touch I/F
2.8"	OT028ZQDDDN-00	Industry	TN	240 x 320	15/35/45/45	50.0 x 69.6 x 2.3	43.2 x 57.6	MCU RGB	300	-20~+70	n/a	n/a
4.3"	OT043ZWDDDN00	Industry	TN	480 x 272	70/70/50/70	105.5 x 67.2 x 2.95	95.04 x 53.86	RGB	300	-20~+70	n/a	n/a
5.7"	OT057ZVJDLV-05	Industry	TN	640 x 480	70/70/60/40	127 x 98.43 x 8.9	115.2 x 86.4	LVDS	400	-20~+70	n/a	n/a
5.7"	OT057ZWDDV00	H-Bright	TN	640 x 480	80/80/80/80	127 x 98.43 x 7.0	115.2 x 86.4	RGB	900	-20~+70	n/a	n/a
7.0"	OT070MADDLV-10	H-Bright	TN	1024 x 600	75/75/70/75	165.75 x 105.39 x 5.0	153.6 x 90.0	LVDS	1,000	-20~+60	n/a	n/a
7.0"	OT070PGDDL00	Industry	TN	800 x 480	70/70/50/70	164.9 x 100.0 x 9.2	154.08 x 85.92	LVDS	400	-30~+85	n/a	n/a
7.0"	OT070VBWDLV-00	Wide View	IPS	1280 x 800	88/88/88/88	161.0 x 107.0 x 6.15	149.76 x 93.6	LVDS	400	-20~+70	n/a	n/a
7.0"	OT070ZAWDLN00	Wide View	IPS	1024 x 600	85/85/85/85	165.0 x 100.0 x 5.8	154.2144 x 85.92	LVDS	600	-30~+85	n/a	n/a
8.0"	OT080FSDDDV-H0	H-Bright	TN	800 x 600	70/70/50/70	183.0 x 141.0 x 10.3	162.0 x 121.5	RGB	1,000	-20~+70	n/a	n/a
8.4"	OT084AXWDLV00	Wide View	IPS	1024 x 768	88/88/88/88	199.5 x 149.0 x 9.7	170.4 x 127.8	LVDS	600	-30~+80	n/a	n/a
8.4"	OT084AXWDLVH0	H-Bright	IPS	1024 x 768	88/88/88/88	199.5 x 149.0 x 9.7	170.4 x 127.8	LVDS	1,000	-30~+80	n/a	n/a
10.1"	OT101DBWDLV09	Wide View	IPS	1280 x 800	85/85/85/85	229.46 x 149.1 x 4.8	216.96 x 135.60	LVDS	600	-20~+70	n/a	n/a
10.1"	OT101DBWDLVH1	H-Bright	IPS	1280 x 800	85/85/85/85	229.46 x 149.1 x 4.8	216.96 x 135.6	LVDS	1,000	-20~+70	n/a	n/a
10.1"	OT101ZBWDLVH0	H-Bright	IPS	1280 x 800	80/80/80/80	245.0 x 169.5 x 16.74	216.96 x 135.60	LVDS	1,200	-30~+80	n/a	n/a
10.1"	OT101ZEWDLNH0	H-Bright	IPS	1920 x 1200	85/85/85/85	229.46 x 149.1 x 4.6	216.8064 x 135.504	LVDS	1,000	-20~+70	n/a	n/a
10.1"	OT101ZEWDLMN01	Wide View	IPS	1200 x 1920	85/85/85/85	143.0 x 228.6 x 2.6	135.36 x 216.58	MPI	350	-20~+60	n/a	n/a
10.4"	OT104AXWDLV00	Wide View	IPS	1024 x 768	88/88/88/88	227.0 x 175.8 x 9.85	210.432 x 157.824	LVDS	600	-20~+70	n/a	n/a
12.1"	OT121CBWDLH0	H-Bright	IPS	1280 x 800	88/88/88/88	248.0 x 184.0 x 11.0	261.12 x 163.2	LVDS	1,200	-20~+70	n/a	n/a
12.1"	OT121CBWDLH2	H-Bright	IPS	1280 x 800	88/88/88/88	248.0 x 184.0 x 9.8	261.12 x 163.2	LVDS	1,200	-30~+80	n/a	n/a
12.1"	OT121EXWDLH1	H-Bright	IPS	1024 x 768	85/85/85/85	260.5 x 204.0 x 9.8	245.76 x 184.32	LVDS	1,000	-30~+80	n/a	n/a
12.1"	OT121ZSWDLV-00	Wide View	IPS	800 x 600	89/89/89/89	260.5 x 204.0 x 8.4	246.0 x 184.5	LVDS	450	-30~+80	n/a	n/a
12.1"	OT121ZXWDL-00	Industry	TN	1024 x 768	80/80/80/80	279.0 x 209.0 x 9.0	245.76 x 184.32	LVDS	350	-20~+70	n/a	n/a
15.0"	OT150CXDDLH4	H-Bright	TN	1024 x 768	80/80/70/80	326.5 x 253.5* x 5.66	304.128 x 228.1	LVDS	1,000	-20~+70	n/a	n/a
15.0"	OT150EXWDLH0	H-Bright	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	1,000	-30~+80	n/a	n/a
15.0"	OT150ZXWDLV00	Wide View	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	450	-30~+80	n/a	n/a
15.6"	OT156AFWDLVH0	H-Bright	IPS	1920 x 1080	85/85/85/85	363.7 x 215.7 x 12.0	344.16 x 193.59	LVDS	1,000	-30~+85	n/a	n/a
15.6"	OT156ZFWDLV00	Industry	IPS	1920 x 1080	89/89/89/89	363.8 x 215.98 x 9.3	344.16 x 193.59	LVDS	450	-30~+85	n/a	n/a
21.5"	OT215AFWDBN-H0	H-Bright	IPS	1920 x 1080	89/89/89/89	495.6 x 292.2 x 19.56	476.64 x 268.11	LVDS	400	0~+50	n/a	n/a
21.5"	OT215ZFWDLN01	Wide View	IPS	1920 x 1080	89/89/89/89	495.6 x 292.2 x 11.5	476.064 x 267.786	LVDS	250	0~+50	n/a	n/a
21.5"	OT215ZFWDLN03	Wide View	IPS	1920 x 1080	89/89/89/89	497.6 x 292.2 x 10.5	476.064 x 267.786	LVDS	500	-20~+70	n/a	n/a
21.5"	OT215ZFWDLVH0	H-Bright	IPS	1920 x 1080	89/89/89/89	495.6 x 292.2 x 19.56	476.64 x 268.11	LVDS	1,000	-20~+70	n/a	n/a
5.7"	OT057ZQUDDT-05	Touch LCD	TN	320 x 240	70/70/70/50	144.0 x 104.6 x 14.8	115.2 x 86.4	RGB	500	-20~+70	RTP	4W
6.5"	OT065BVWDLT00	Touch LCD	TN	640 x 480	80/80/80/80	153.5 x 120 x 13.3	130.6 x 98.4	LVDS	640	-30~+80	RTP	4W
7.0"	OT070PGDDL01	Touch LCD	TN	800 x 480	70/70/50/70	164.9 x 100.0 x 10.7	154.08 x 85.92	LVDS	320	-20~+70	RTP	4W
10.1"	OT101CBWDLT07	Touch LCD	IPS	1280 x 800	85/85/85/85	229.46 x 149.1 x 4.8	216.96 x 135.60	LVDS	900	-20~+70	PCAP	USB & I2C
10.4"	OT104AXWDLTH0	Touch LCD	IPS	1024 x 768	88/88/88/88	227.0 x 175.8 x 9.85	210.432 x 157.824	LVDS	900	-20~+70	PCAP	USB & I2C
12.1"	OT121EXWDLTH0	Touch LCD	IPS	1024 x 768	85/85/85/85	260.5 x 204.0 x 9.8	245.76 x 184.32	LVDS	900	-20~+70	PCAP	USB & I2C
15.0"	OT150EXWDLTH0	Touch LCD	IPS	1024 x 768	88/88/88/88	326.5 x 253.5 x 9.1	304.128 x 228.1	LVDS	900	-20~+70	PCAP	USB & I2C
15.6"	OT156ABWDLT-00	Touch LCD	IPS	1920 x 1080	85/85/85/85	363.8 x 215.98 x 9.6	344.16 x 193.59	LVDS	380	-20~+70	PCAP	USB
21.5"	OT215ZFWDLT00	Touch LCD	IPS	1920 x 1080	89/89/89/89	497.6 x 292.2 x 10.5	476.064 x 267.786	LVDS	400	-20~+70	PCAP	USB

Custom



Wide Viewing Angle

Circuit Integration

High Brightness



Touch Panel

Contact Information

3F.,No.100,Luke 5th Rd.,Luzhu Dist.,Kaohsiung City, Taiwan

Tel +886-7-695-5500 Fax +886-7-695-5577

E-mail sales@onation.com.tw

Website <http://www.onation.com.tw>